

Patient Information	Specimen Information	Client Information
<b>DOB:</b> <b>AGE:</b> <b>Gender:</b> <b>Phone:</b> <b>Patient ID:</b> <b>Health ID:</b>	<b>Specimen:</b> <b>Requisition:</b> <b>Lab Ref #:</b>  <b>Collected:</b> <b>Received:</b> <b>Reported:</b>	<b>REQUEST A TEST - PWN HEAL</b> <b>TH 7027 MILL RD STE 201</b> <b>BRECKSVILLE, OH 44141-1852</b>

Test Name	In Range	Out Of Range	Reference Range	Lab
ALPHA GAL PANEL				
GALACTOSE ALPHA 1,3				IBT
GALACTOSE IGE*				
GALACTOSE ALPHA 1,3				
GALACTOSE IGE*	<0.10		<0.10 kU/L	
Previous reports (JACI 2009;123:426-433) have demonstrated that patients with IgE antibodies to galactose-a-1,3-galactose are at risk for delayed anaphylaxis, angioedema, or urticaria following consumption of beef, pork, or lamb.				
BEEF (BOS SPP) IGE	<0.10		<0.35 kU/L	IBT
CLASS	0			
LAMB/MUTTON (OVIS SPP) IGE	<0.10		<0.35 kU/L	IBT
CLASS	0			
PORK (SUS SPP) IGE	<0.10		<0.35 kU/L	IBT
CLASS	0			
The test method is the Phadia ImmunoCAP allergen-specific IgE system.				
CLASS INTERPRETATION   <0.10 kU/L= 0, Negative; 0.10 - 0.34 kU/L= 0/1, Equivocal/Borderline; 0.35 - 0.69 kU/L=1, Low Positive; 0.70 - 3.49 kU/L=2, Moderate Positive; 3.50 - 17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00 - 99.99 kU/L= 5, Very High Positive;   >99.99 kU/L=6, Very High Positive				
*This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.				