



| Patient Information | Specimen Information | Client Information |
|--|---|--------------------|
| DOB: AGE: Gender: Phone: Patient ID: Health ID: | Specimen: Requisition: Lab Ref #: Collected: Received: Reported: | |

COMMENTS: **FASTING:**

| Test Name | In Range | Out Of Range | Reference Range | Lab |
|-----------------------|----------|--------------|-----------------|-----|
| ALLERGEN SPECIFIC IGE | | | | |
| CURVULARIA SPICIFERA* | | | | |
| ALLERGEN SPECIFIC IGE | <0.10 | | <0.35 kU/L | |
| CURVULARIA SPICIFERA* | 0 | | | |
| CLASS | | | | |

The test method is the Phadia ImmunoCAP allergen-specific IgE system.

CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10 - 0.34 kU/L= 0/1, Equivocal/Borderline; 0.35 - 0.69 kU/L=1, Low Positive; 0.70 - 3.49 kU/L=2, Moderate Positive; 3.50 - 17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00 - 99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.