

Ordered Items: **CBC With Differential/Platelet; CEA; AFP, Serum, Tumor Marker; CA 19-9; Prostate-Specific Ag; Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting:
-----------------	----------------	----------------	----------

CBC With Differential/Platelet

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
WBC ⁰¹	4.0		x10E3/uL	3.4-10.8
RBC ⁰¹	4.77		x10E6/uL	4.14-5.80
Hemoglobin ⁰¹	14.6		g/dL	13.0-17.7
Hematocrit ⁰¹	42.3		%	37.5-51.0
MCV ⁰¹	89		fL	79-97
MCH ⁰¹	30.6		pg	26.6-33.0
MCHC ⁰¹	34.5		g/dL	31.5-35.7
RDW ⁰¹	13.0		%	11.6-15.4
Platelets ⁰¹	150		x10E3/uL	150-450
Neutrophils ⁰¹	61		%	Not Estab.
Lymphs ⁰¹	27		%	Not Estab.
Monocytes ⁰¹	8		%	Not Estab.
Eos ⁰¹	3		%	Not Estab.
Basos ⁰¹	1		%	Not Estab.
Neutrophils (Absolute) ⁰¹	2.5		x10E3/uL	1.4-7.0
Lymphs (Absolute) ⁰¹	1.1		x10E3/uL	0.7-3.1
Monocytes(Absolute) ⁰¹	0.3		x10E3/uL	0.1-0.9
Eos (Absolute) ⁰¹	0.1		x10E3/uL	0.0-0.4
Baso (Absolute) ⁰¹	0.0		x10E3/uL	0.0-0.2
Immature Granulocytes ⁰¹	0		%	Not Estab.
Immature Grans (Abs) ⁰¹	0.0		x10E3/uL	0.0-0.1

CEA

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
CEA ⁰¹	0.9		ng/mL	0.0-4.7
		Nonsmokers Smokers	<3.9 <5.6	
	Roche Diagnostics Electrochemiluminescence Immunoassay (ECLIA) Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.			

AFP, Serum, Tumor Marker

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
AFP, Serum, Tumor Marker ⁰¹	2.1		ng/mL	0.0-8.4
	Roche Diagnostics Electrochemiluminescence Immunoassay (ECLIA) Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease. This test is not interpretable in pregnant females.			

Patient ID: Specimen ID: DOB: Age: Sex: Patient Report Account Number: 34050260 Ordering Physician:



CA 19-9

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
CA 19-9 ⁰¹	5		U/mL	0-35
Roche Diagnostics Electrochemiluminescence Immunoassay (ECLIA) Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.				

Prostate-Specific Ag

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Prostate Specific Ag ⁰¹	0.9		ng/mL	0.0-4.0
Roche ECLIA methodology. According to the American Urological Association, Serum PSA should decrease and remain at undetectable levels after radical prostatectomy. The AUA defines biochemical recurrence as an initial PSA value 0.2 ng/mL or greater followed by a subsequent confirmatory PSA value 0.2 ng/mL or greater. Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.				

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

Patient Details

Bentley, Russell E
4605 RICKOVER CT, NEW PORT RICHEY, FL,
34652

Phone: 214-952-9706
Date of Birth: 10/18/1960
Age: 61
Sex: Male
Patient ID: 112451642
Alternate Patient ID: 112451642

Physician Details

S BERNSTEIN
Request A Test, LTD.
7027 Mill Road Suite 201, BRECKSVILLE, OH,
44141

Phone: 440-717-0440
Account Number: 34050260
Physician ID: 1477544450
NPI: 1477544450

Specimen Details

Specimen ID: 224-443-0760-0
Control ID: 112451642
Alternate Control Number: 112451642
Date Collected: 08/12/2022 1318 Local
Date Received: 08/12/2022 0000 ET
Date Entered: 08/12/2022 1519 ET
Date Reported: 08/13/2022 0506 ET
Rte: MA