

Specimen Number	Patient ID	Control Number	Account Number	Account Phone Number	Route
Patient Last Name			Account Address		
Patient First Name		Patient Middle Name			
Patient SS#	Patient Phone	Total Volume			
Age (Y/M/D)	Date of Birth	Sex	Fasting		
Patient Address			Additional Information		
Date and Time Collected	Date Entered	Date and Time Reported	Physician Name	NPI	Physician ID

Celiac Disease Antibody Screen					
Tests Ordered					

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Celiac Disease Antibody Screen					
Immunoglobulin A, Qn, Serum	400		mg/dL	91 - 414	01
Deamidated Gliadin Abs, IgA	7		units	0 - 19	01
		Negative		0 - 19	
		Weak Positive		20 - 30	
		Moderate to Strong Positive		>30	
t-Transglutaminase (tTG) IgA	<2		U/mL	0 - 3	01
		Negative		0 - 3	
		Weak Positive		4 - 10	
		Positive		>10	

Tissue Transglutaminase (tTG) has been identified as the endomysial antigen. Studies have demonstrated that endomysial IgA antibodies have over 99% specificity for gluten sensitive enteropathy.

--

--	--	--