

Patient ID: Specimen ID:

DOB:
Age:
Sex:

Patient Report



Ordering Physician:

Ordered Items: **Chromium, RBC; Drawing Fee**

Date Collected:	Date Received:	Date Reported:	Fasting:
-----------------	----------------	----------------	----------

Chromium, RBC

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Chromium, RBC ⁰¹	<p>None Detected</p> <p>Reporting Limit: 2.2 mcg/L</p> <p>NMS Labs derived data: 2.5th - 97.5th percentile range is <1.0 to 3.1 mcg/L (n=3019).</p> <p>The RBC sample used for analysis was measured by weight and multiplied by the density of human RBC (1.10 g/mL) to obtain mcg/L units.</p> <p>Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)</p> <p>Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.</p> <p>This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.</p>		mcg/L	

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

Patient Details

Phone:
Date of Birth:
Age:
Sex:
Patient ID:
Alternate Patient ID:

Physician Details

Request A Test, LTD.
7027 Mill Road Suite 201, BRECKSVILLE, OH,
44141

Phone:
Physician ID:
NPI:

Specimen Details

Specimen ID:
Control ID:
Alternate Control Number:
Date Collected:
Date Received:
Date Entered:
Date Reported:
Rte:

