



Patient Information	Specimen Information	Client Information
DOB: Gender: Phone: Patient ID: Health ID:	AGE: Fasting: Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	

COMMENTS:

Test Name	In Range	Out Of Range	Reference Range	Lab
CORTISOL, LC/MS/MS, SALIVA, 2 SAMPLES				
CORTISOL, LC/MS/MS, SALIVA, SAMPLE 1				
DRAW DATE 1	10/02/2018			
DRAW TIME 1	0600			
CORTISOL, SALIVA SAMPLE 1	0.44		mcg/dL	
8-10 AM:	0.04-0.56 mcg/dL			
noon-2 PM:	< OR = 0.21 mcg/dL			
4-6 PM:	< OR = 0.15 mcg/dL			
10 PM-1 AM:	< OR = 0.09 mcg/dL			
CORTISOL, LC/MS/MS, SALIVA, SAMPLE 2				
DRAW DATE 2	10/02/2018			
DRAW TIME 2	2100			
CORTISOL, SALIVA SAMPLE 2	0.08		mcg/dL	
8-10 AM:	0.04-0.56 mcg/dL			
noon-2 PM:	< OR = 0.21 mcg/dL			
4-6 PM:	< OR = 0.15 mcg/dL			
10 PM-1 AM:	< OR = 0.09 mcg/dL			

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

PERFORMING SITE: