

Patient ID:  
Specimen ID:

DOB:  
Age:  
Sex:

Patient Report  
Ordering Physician:



Ordered Items: CBC With Differential/Platelet; Urinalysis, Complete Comp. Metabolic Panel (14); Lipid Panel; GGD, Qn, Bld and Red Cell Count; ABO Grouping and Rho(D) Typing; Hgb Ale with eAG Estimation; Prostate-Specific Ag; HIVAb/p24Ag with Reflex; Varicella-ZosterVAb, IgG

Date Collected:

Date Received:

Date Reported:

Fasting:

## General Comments & Additional Information

Clinical Info:  
Clinical Info:  
Clinical Info:

## CBC With Differential/Platelet

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
WBC <sup>0</sup>	3.9	4.4	05/09/2022	x10 <sup>3</sup> /uL	3.4-10.8
RBC <sup>01</sup>	4.93	5.14	05/09/2022	x10 <sup>6</sup> /uL	4.14-5.80
Hemoglobin <sup>'''</sup>	13.8	14.3	05/09/2022	g /dL	13.0-17.7
Hematocrit <sup>01</sup>	44.9	45.5	05/09/2022	%	37.5-51.0
MCV <sup>01</sup>	91	89	05/09/2022	f l	79-97
MCH <sup>01</sup>	28.0	27.8	05/09/2022	pg	26.6-33.0
MCHC <sup>01</sup>	32.7	31.4	05/09/2022	g /dL	31.5-35.7
RDW <sup>01</sup>	12.7	12.4	05/09/2022	%	11.6-15.4
Platelets <sup>'''</sup>	246	266	05/09/2022	x10 <sup>3</sup> /uL	150-450
Neutrophils <sup>0</sup>	53	65	05/09/2022	%	Not Estab.
Lymphs <sup>'''</sup>	37	26	05/09/2022	%	Not Estab.
Monocytes <sup>01</sup>	7	6	05/09/2022	%	Not Estab.
Eos <sup>01</sup>	2	2	05/09/2022	%	Not Estab.
Basos <sup>01</sup>	1	1	05/09/2022	%	Not Estab.
Neutrophils (Absolute) <sup>01</sup>	2.1	2.9	05/09/2022	x10 <sup>3</sup> /uL	1.4-7.0
Lymphs (Absolute) <sup>'''</sup>	1.4	1.1	05/09/2022	x10 <sup>3</sup> /uL	0.7-3.1
Monocytes(Absolute) <sup>01</sup>	0.3	0.3	05/09/2022	x10 <sup>3</sup> /uL	0.1-0.9
Eos (Absolute) <sup>01</sup>	0.1	0.1	05/09/2022	x10 <sup>3</sup> /uL	0.0-0.4
Baso (Absolute) <sup>01</sup>	0.0	0.0	05/09/2022	x10 <sup>3</sup> /uL	0.0-0.2
Immature Granulocytes <sup>01</sup>	0	0	05/09/2022	%	Not Estab.
Immature Grans (Abs) <sup>01</sup>	0.0	0.0	05/09/2022	x10 <sup>3</sup> /uL	0.0-0.1

## Urinalysis, Complete

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Urinalysis Gross Exam <sup>0</sup>				
Specific Gravity <sup>'''</sup>	1.011			1.005-1.030
pH01	6.0			5.0-7.5
Urine-Color <sup>01</sup>	Yellow			Yellow

labcorp

Date Created and Stored

Final Report

Patient ID:  
Specimen ID:

DOB:  
Age:  
Sex:

Patient Report  
Ordering Physician:



## Urinalysis, Complete (Cont.)

Appearance <sup>01</sup>	Clear	Clear
WBC Esterase <sup>01</sup>	Negative	Negative
Protein <sup>1</sup>	Negative	Negative/Trace
Glucose <sup>01</sup>	Negative	Negative
Ketones <sup>01</sup>	Negative	Negative
Occult Blood <sup>01</sup>	Negative	Negative
Bilirubin <sup>1</sup>	Negative	Negative
Urobilinogen, Semi-Qn <sup>1</sup>	0.2	mg/dL 0.2-1.0
Nitrite, Urine <sup>01</sup>	Negative	Negative
Microscopic Examination <sup>1</sup>	Microscopic follows if indicated.	
Microscopic Examination <sup>1</sup>	See below:	
WBCs	None seen	/hpf 0- 5
RBC <sup>01</sup>	None seen	/hpf 0- 2
Epithelial Cells (non renal) <sup>01</sup>	None seen	/hpf 0-10
Casts <sup>01</sup>	None seen	/lpf None seen
Bacteria <sup>01</sup>	None seen	None seen/Few

## GGPD, Qn, Bld and Red Cell Count

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
G-6-PD, Quant	219		U/10E12 RBC	127-427

Comment: <sup>01</sup>

When decreased, G-6-PD, Quant. values are associated with acute hemolytic anemia when deficient individuals are exposed to oxidative stress, such as with certain medications (e.g., primaquine), infection, or ingestion of fava beans.  
Caution: In patients with acute hemolysis (e.g., abnormally low RBC values), testing for G-6-PD may be falsely normal because older erythrocytes with a higher enzyme deficiency have been hemolyzed. Young erythrocytes and reticulocytes have normal or near-normal enzyme activity. Normal values of G-6-PD may be measured for several weeks following a hemolytic event.

## ABO Grouping and Rho(D) Typing

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
ABO Grouping <sup>01</sup>	O			

Rh Factor<sup>01</sup>

Positive

Please note: Prior records for this patient's ABO/ Rh type are not available for additional verification.

## Hgb Ale with eAG Estimation

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hemoglobin A1c <sup>0</sup>	5.1	5.1 05/09/2022	%	4.8-5.6

Please Note: <sup>01</sup>

Prediabetes: 5.7 - 6.4  
Diabetes: >6.4  
Glycemic control for adults with diabetes: <7.0

Estim. Avg Glu (eAG)	100	100 05/09/2022	mg/dl	
----------------------	-----	----------------	-------	--

labcorp

Date Created and Stored

Final Report

Patient ID:  
Specimen ID:

DOB:  
Age  
Sex

## Patient Report

Ordering Physician:



### Comp. Metabolic Panel (14)

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Glucose <sup>01</sup>	82	78	08/05/2021	mg/dL	65-99
BUNOI	10	14	08/05/2021	mg/dL	8-27
Creatinine <sup>01</sup>	0.92	0.89	08/05/2021	mg/dL	0.76-1.27
eGFR	87			mL/min/1.73	>59
BUN/Creatinine Ratio	11	16	08/05/2021		10-24
Sodium <sup>01</sup>	140	137	08/05/2021	mmol/L	134-144
Potassium <sup>01</sup>	5.0	4.8	08/05/2021	mmol/L	3.5-5.2
Chloride <sup>01</sup>	102	99	08/05/2021	mmol/L	96-106
Carbon Dioxide, Total <sup>01</sup>	24	26	08/05/2021	mmol/L	20-29
Calcium <sup>01</sup>	9.5	9.1	08/05/2021	mg/dL	8.6-10.2
Protein, Total <sup>01</sup>	7.4	7.3	08/05/2021	g/dL	6.0-8.5
Albumin <sup>*1</sup>	4.6	4.5	08/05/2021	g/dL	3.7-4.7
Globulin, Total	2.8	2.8	08/05/2021	g/dL	1.5-4.5
A/G Ratio	1.6	1.6	08/05/2021		1.2-2.2
Bilirubin, Total <sup>01</sup>	<0.2	<0.2*	08/05/2021	mg/dL	0.0-1.2
Alkaline Phosphatase <sup>01</sup>	81	76*	08/05/2021	IU/L	44-121
AST (SGOT) <sup>01</sup>	1816	22	08/05/2021	IU/L	0-40
ALT (SGPT) <sup>01</sup>		20	08/05/2021	IU/L	0-44

### Prostate-Specific Ag

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Prostate Specific Ag <sup>01</sup>	0.9	1.3	05/09/2022	ng/mL	0.0-4.0
Roche ECLIA methodology. According to the American Urological Association, Serum PSA should decrease and remain at undetectable levels after radical prostatectomy. The AUA defines biochemical recurrence as an initial PSA value 0.2 ng/mL or greater followed by a subsequent confirmatory PSA value 0.2 ng/mL or greater. Values obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.					

### Lipid Panel

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Cholesterol, Total <sup>01</sup>	129			mg/dL	100-199
Triglycerides <sup>01</sup>	85			mg/dL	0-149
HDL Cholesterol <sup>01</sup>	54			mg/dL	>39
VLDL Cholesterol Cal	16			mg/dL	5-40
LDL Chol Calc (NIH)	59			mg/dL	0-99

### HIV Ab/p24 Ag with Reflex

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
HIV Ab/p24 Ag Screen <sup>01</sup>	Non Reactive				Non Reactive
HIV Negative HIV-1/HIV-2 antibodies and HIV-1 p24 antigen were NOT detected. There is no laboratory evidence of HIV infection.					

labcorp

Date Created and Stored

Final Report

DOB:

Patient Report



Patient ID:

Age:

Ordering Physician:

Specimen ID:

Sex:

Varicella-Zoster V Ab, IgG

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Varicella Zoster IgG <sup>01</sup>	1570		index	Immune>165
		Negative	<135	
		Equivocal	135 – 165	
		Positive	>165	
	A positive result generally indicates exposure to the pathogen or administration of specific immunoglobulins, but it is not indication of active infection or stage of disease.			