

Laboratory Report

SPECIMEN INFORMATION

Requisition #:
 Accession #:
 Collected:
 Received:
 Reported:
 Specimen ID:

DONOR INFORMATION

Name:
 Primary ID:
 Reason:
 Collection Site:

CLIENT INFORMATION

Seals Intact: Yes
 Tests Ordered: 35639N (SAP 10-50 w/OPI/NIT)

Urine Specimen Validity Testing
Acceptable Range

| | | |
|-----------------------|------------|-------------|
| CREATININE | 45.6 mg/dL | >= 20 mg/dL |
| pH | 5.3 | 4.5-8.9 |
| OXIDIZING ADULTERANTS | Negative | |

Urine Substance Abuse Panel

| | Initial Test Level | MS Confirm Test Level |
|-----------------------|-----------------------|--------------------------|
| AMPHETAMINES | 1000 ng/mL | 500 ng/mL |
| BARBITURATES | 300 ng/mL | 200 ng/mL |
| BENZODIAZEPINES | 300 ng/mL | 200 ng/mL |
| COCAINE METABOLITES | 300 ng/mL | 150 ng/mL |
| MARIJUANA METABOLITES | 50 ng/mL | 15 ng/mL |
| METHADONE | 300 ng/mL | 200 ng/mL |
| METHAQUALONE | 300 ng/mL | 200 ng/mL |
| OPIATES | 300 ng/mL | 300 ng/mL |
| OXYCODONES | 100 ng/mL | 100 ng/mL |
| PHENCYCLIDINE | 25 ng/mL | 25 ng/mL |
| PROPOXYPHENE | 300 ng/mL | 200 ng/mL |

CERTIFYING TECHNICIAN/SCIENTIST:

SPECIMEN RECEIVED AND PROCESSED IN THE ATLANTA DHHS CERTIFIED LABORATORY

LAB: Quest Diagnostics-Atlanta
 1777 Montreal Circle, Floor 2
 Tucker GA 30084

>> END OF REPORT <<