

LabCorp

Laboratory Corporation of America

Phone:

Specimen Number	Patient ID	Control Number	Account Number	Account Phone Number	Route
Patient Last Name		Account Address			
Patient First Name	Patient Middle Name				
Patient SS#	Patient Phone	Total Volume			
Age (Y/M/D)	Date of Birth	Sex	Pasting		
Patient Address		Additional Information			
Date and Time Collected	Date Entered	Date and Time Reported	Physician Name	NPI	Physician ID

Methylphenidate, Serum	Tests Ordered
------------------------	---------------

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Methylphenidate, Serum	Negative		ng/mL	5.0 - 20.0	01
Methylphenidate, S	After a 0.3 mg/kg oral dose of methylphenidate, peak plasma concentrations typically don't go much above 20.0 but can reach as high as 70.0 on a higher dose of 0.6 mg/kg.				

Detection Limit = 3.0

--

--	--	--	--

DUPLICATE FINAL REPORT

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.
If you have received this document in error, please call 800-321-3862

©2004-14 Laboratory Corporation of America © Holdings
All Rights Reserved
DOC1 Ver: 1.49