

Patient ID:                      DOB:                      Age:35                      Sex: Unknown  
Specimen ID:                      Ordering Physician:

Patient Report



Ordered Items: Chain-of-Custody Protocol; PSC Specimen Collection; Sertraline (Zoloft), S/P

Date Collected: 1/16/2021	Date Received: 1/16/2021	Date Reported: 1/16/2021	Fasting: Not Given
---------------------------	--------------------------	--------------------------	--------------------

General Comments & Additional Information

Clinical Info:  
Clinical Info:  
Reason for testing:  
Collectors Name:  
Collectors Phone#:  
MRO Name from OCF:

Chain-of-Custody Protocol

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Chain-of-Custody Protocol	Performed			

Sertraline (Zoloft), S/P

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Sertraline	44		ng/ml	30-200
Desmethylsertraline	84		ng/ml	

The reference interval(s) and other method performance specifications have not been established for this specimen type. The test result must be integrated into the clinical context for interpretation.

The stated reference range is the range of observed steady-state concentrations in individuals receiving therapeutic dosage regimens of sertraline. This is not a defined therapeutic range.

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

Disclaimer  
The Previous Result is listed for tests performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the results to the patient.

Icon Legend  
▲ Out of reference range    ■ Critical or Alert

Performing Labs