

DOB:

## Patient Report



Patient ID: Specimen ID:

Age:

Ordering Physician:

Sex:

Ordered Items: **HSV 1 and 2 Ab, IgG ; Hepatitis B Surf Ab Quant; HIV Ag/Ab with Reflex; HCV Antibody; HBsAg Screen; Hep B Core Ab, Tot; Venipuncture**

Date Collected:

Date Received:

Date Reported:

Fasting:

### HSV 1 and 2 Ab, IgG

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HSV 1 IgG, Type Spec <sup>01</sup>	<0.91		index	0.00-0.90
		Negative	<0.91	
		Equivocal	0.91 - 1.09	
		Positive	>1.09	
Note: Negative indicates no antibodies detected to HSV-1. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-1.				
HSV 2 IgG, Type Spec <sup>01</sup>	<0.91		index	0.00-0.90
		Negative	<0.91	
		Equivocal	0.91 - 1.09	
		Positive	>1.09	
HSV-2 Antibody Interpretation: Negative indicates no detectable antibodies to HSV-2 were found. If recent exposure is suspected, retest in 4-6 weeks. Equivocal samples should be retested in 4-6 weeks. Positive indicates the presence of detectable IgG antibody to HSV-2. False positive results may occur. Repeat testing, or testing by a different method, may be indicated in some settings (e.g. patients with low likelihood of HSV infection). If clinically appropriate, retest 4-6 weeks later.				

### Hepatitis B Surf Ab Quant

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hepatitis B Surf Ab Quant <sup>01</sup>	>9.9		mIU/mL	Immunity>9.9
	Status of Immunity		Anti-HBs Level	
	-----		-----	
	Inconsistent with Immunity		0.0 - 9.9	
	Consistent with Immunity		>9.9	

### HIV Ag/Ab with Reflex

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HIV Screen 4th Generation wRfx <sup>01</sup>	Non Reactive			Non Reactive

### HCV Antibody

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hep C Virus Ab <sup>01</sup>	Non Reactive			Non Reactive
HCV antibody alone does not differentiate between previously resolved infection and active infection. Equivocal and Reactive HCV antibody results should be followed up with an HCV RNA test to support the diagnosis of active HCV infection.				

Patient ID: Specimen ID:  
DOB:  
Age  
Sex:

Patient Report

Ordering Physician:



HBsAg Screen

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HBsAg Screen <sup>01</sup>	Negative			Negative

Hep B Core Ab, Tot

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hep B Core Ab, Tot <sup>01</sup>	Negative			Negative

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the result to the patient.

Icon Legend

▲ Out of reference range    ■ Critical or Alert

Performing Labs

PatientDetails

Phone:  
Date of Birth: Age:  
Sex:  
Patient ID: Alternate Patient ID:

Physician Details

Phone:  
Physician ID:  
NPI:

Specimen Details

Specimen ID:  
Control ID:  
Alternate Control Number:  
Date Collected:  
Date Received:  
Date Entered:  
Date Reported:  
Rte:

