

Patient ID: Specimen ID:

DOB:

Age:

Sex:

Patient Report

Ordering Physician:



Ordered Items: **HSV 1 and 2-Spec Ab, IgG w/Rfx; Hepatitis B Surf Ab Quant; HIV Ag/Ab with Reflex; HCV Antibody; HBsAg Screen; Hep B Core Ab, Tot; Venipuncture**

Date Collected:

Date Received:

Date Reported:

Fasting:

HSV 1 and 2-Spec Ab, IgG w/Rfx

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HSV 1 IgG, Type Spec ⁰¹	<0.91		index	0.00-0.90
		Negative	<0.91	
		Equivocal	0.91 - 1.09	
		Positive	>1.09	
	Note: Negative indicates no antibodies detected to HSV-1. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-1.			
HSV 2 IgG, Type Spec ⁰¹	<0.91		index	0.00-0.90
		Negative	<0.91	
		Equivocal	0.91 - 1.09	
		Positive	>1.09	
	Note: Negative indicates no antibodies detected to HSV-2. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-2.			

Hepatitis B Surf Ab Quant

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hepatitis B Surf Ab Quant ⁰¹	>9.9		mIU/mL	Immunity>9.9
	Status of Immunity		Anti-HBs Level	
	-----		-----	
	Inconsistent with Immunity		0.0 - 9.9	
	Consistent with Immunity		>9.9	

HIV Ag/Ab with Reflex

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HIV Screen 4th Generation wRfx ⁰¹	Non Reactive			Non Reactive

HCV Antibody

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hep C Virus Ab ⁰¹	<0.1		s/co ratio	0.0-0.9
		Negative:	< 0.8	
		Indeterminate:	0.8 - 0.9	
		Positive:	> 0.9	
	The CDC recommends that a positive HCV antibody result be followed up with a HCV Nucleic Acid Amplification test (550713).			

Patient ID: Specimen ID:

DOB:

Age

Sex:

Patient Report

Ordering Physician:



HBsAg Screen

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HBsAg Screen ⁰¹	Negative			Negative

Hep B Core Ab, Tot

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hep B Core Ab, Tot ⁰¹	Negative			Negative

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the result to the patient.

Icon Legend

▲ Out of reference range ■ Critical or Alert

Performing Labs

PatientDetails

Phone:
Date of Birth: Age:
Sex:
Patient ID: Alternate Patient ID:

Physician Details

Phone:
Physician ID:
NPI:

Specimen Details

Specimen ID:
Control ID:
Alternate Control Number:
Date Collected:
Date Received:
Date Entered:
Date Reported:
Rte:

IMPORTANT INFORMATION REGARDING YOUR RESULTS

Please be certain to carefully review your test results.

For any tests with a positive or reactive result, further action may be necessary.

It is important to follow up with a physician. Your physician may request a copy of your test results. If you do not have a physician, please feel free to contact Request A Test by phone at 1-888-732-2348; one of our representatives would be happy to provide you with clinic information in your area.

Until you follow up with a physician, it is important to abstain from any activity or contact with others. You should discuss with your doctor when you can become active again or what steps you may need to take to limit the spread of any infection. Your physician may also ask you to notify any past or present partners.

For some tests, confirmatory testing is available. The chart below will review follow up options based on testing performed. Please feel free to contact Request A Test by phone at 1-888-732-2348 if you need assistance.

For any general questions regarding your test results or assistance reading your results, please do not hesitate to contact Request A Test by phone at 1-888-732-2348.

Follow up testing options for positive or reactive test results**		
Gonorrhea, Chlamydia, Trichomonas Vaginalis, Mycoplasma Genitalium & Ureaplasma Urealyticum/ Mycoplasma Hominis	Syphilis	Hepatitis A
Typically treatable with antibiotics. It is important to retest after treatment to ensure treatment was successful.	For initial RPR test: Syphilis FTA test may be ordered as confirmatory test. Typically treatable with antibiotics.	A positive Hep A IgM antibodies test should be followed up with a person's doctor. If exposure is suspected due to consumption of contaminated food or drink, it is recommended to alert your local health department.
Hepatitis B & C	Herpes	HIV
Viral test such as Hepatitis B PCR Qualitative, Hepatitis B PCR Quantitative, Hepatitis C PCR Quantitative or Hepatitis C RNA PCR Qualitative may be ordered as a confirmatory test.	For initial IgM Abs test: Herpes 1 & 2 IgG Abs test may be ordered after twelve weeks as a confirmatory test. For initial IgG test: Herpes 1 & 2 IgG Immunoblot (available at Labcorp only) test may be ordered as a confirmatory test.	A positive HIV 4th Gen Antigen/Antibody test will typically include follow up confirmatory testing. Any positive results on an HIV screening may be followed with a Quantitative HIV-1 RNA by PCR (Viral Load) test. <u>Please contact your physician regarding any positive HIV lab test results.</u>

Tests listed in bold are available to be purchased through Request A Test. If testing is not listed online, please contact us at 1-888-732-2348 for assistance.

**We do not diagnose, treat or cure medical conditions. Confirmatory testing may be recommended and may involve additional charges and you will be encouraged to seek medical attention for additional follow up.