

Patient Information	Specimen Information	Client Information
<b>DOB:</b> <b>AGE:</b> Gender: Phone: Patient ID:	Specimen: Requisition: Lab Ref #:  Collected: Received: Reported:	

COMMENTS: FASTING:NO

Test Name	In Range	Out Of Range	Reference Range	Lab
ESTRADIOL	35		< OR = 39 pg/mL	IG

Reference range established on post-pubertal patient population. No pre-pubertal reference range established using this assay. For any patients for whom low Estradiol levels are anticipated (e.g. males, pre-pubertal children and hypogonadal/post-menopausal females), the Quest Diagnostics Nichols Institute Estradiol, Ultrasensitive, LCMSMS assay is recommended (order code 30289).

Please note: patients being treated with the drug fulvestrant (Faslodex(R)) have demonstrated significant interference in immunoassay methods for estradiol measurement. The cross reactivity could lead to falsely elevated estradiol test results leading to an inappropriate clinical assessment of estrogen status. Quest Diagnostics order code 30289-Estradiol, Ultrasensitive LC/MS/MS demonstrates negligible cross reactivity with fulvestrant.

#### PERFORMING SITE:

IG QUEST DIAGNOSTICS-IRVING, 4770 REGENT BLVD., IRVING, TX 75063 Laboratory Director: ROBERT L BRECKENRIDGE,MD, CLIA: 45D0697943