



Patient Information	Specimen Information	Client Information
<b>DOB:</b> <b>AGE:</b> <b>Gender:</b> <b>Phone:</b> <b>Patient ID:</b> <b>Health ID:</b> 85730	<b>Specimen:</b> <b>Requisition:</b> <b>Lab Ref #:</b>  <b>Collected:</b> <b>Received:</b> <b>Reported:</b>	Client #: 97508815    MAIL0000

**COMMENTS:**    **FASTING:**

### ALLERGEN REPORT

ALLERGY TESTS	CLASS						
	0	1	2	3	4	5	6
Performing Lab: EZ							
<b>Test Name</b>	<b>Results kU/L</b>						
FERRET EPITHELIUM (E217) IGE **	<0.10						
	<i>See Endnote 1</i>						

Endnote 1	INTERPRETATION		LEVEL OF ALLERGEN SPECIFIC IGE ANTIBODY
	SPECIFIC IGE CLASS	kU/L	
	0	<0.10	ABSENT/UNDETECTABLE
	0/1	0.10-0.34	VERY LOW LEVEL
	1	0.35-0.69	LOW LEVEL
	2	0.70-3.49	MODERATE LEVEL
	3	3.50-17.4	HIGH LEVEL
	4	17.5-49.9	VERY HIGH LEVEL
	5	50-100	VERY HIGH LEVEL
	6	>100	VERY HIGH LEVEL

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**PERFORMING SITE:**