

DOB:

Patient Report



Patient ID: Specimen ID:

Age:

Sex:

Ordered Items: **K080-IgE Formaldehyde; Venipuncture**

Date Collected:

Date Received:

Date Reported:

Fasting:

K080-IgE Formaldehyde

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
K080-IgE Formaldehyde ⁰¹	<0.10		kU/L	Class 0
Class Description ⁰¹				
	Levels of Specific IgE	Class	Description of Class	
	< 0.10	0	Negative	
	0.10 - 0.31	0/I	Equivocal/Low	
	0.32 - 0.55	I	Low	
	0.56 - 1.40	II	Moderate	
	1.41 - 3.90	III	High	
	3.91 - 19.00	IV	Very High	
	19.01 - 100.00	V	Very High	
	>100.00	VI	Very High	

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

PatientDetails

Phone:
Date of Birth:
Age:
Sex:
Patient ID:
Alternate Patient ID:

Physician Details

Phone:
Account Number:
Physician ID:
NPI:

Specimen Details

Specimen ID:
Control ID:
Alternate Control Number:
Date Collected:
Date Received:
Date Entered:
Date Reported:
Rte: