



Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Patient ID: Health ID:	Specimen: Collected: Received: Reported:	Client #:

ALLERGEN REPORT

ALLERGY TESTS	CLASS
Performing Lab: CB	0 1 2 3 4 5 6
Test Name	Results kU/L
HAZELNUT (F17) IGE	<0.10

INTERPRETATION

See Endnote 1

Endnote 1

Specific IGE Class	kU/L	Level of Allergen Specific IGE Antibody
0	<0.10	Absent/Undetectable
0/1	0.10-0.34	Very Low Level
1	0.35-0.69	Low Level
2	0.70-3.49	Moderate Level
3	3.50-17.4	High Level
4	17.5-49.9	Very High Level
5	50-100	Very High Level
6	>100	Very High Level

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "***" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

PERFORMING SITE:

ACER EUROFINS VIRACOR, 18000 WEST 99TH STREET, LENEXA, KS 66219-1233 Laboratory Director: BROCK NEIL, PHD, BCLD(ABB), CLIA: 26D0983643
CB QUEST DIAGNOSTICS WOOD DALE, 1355 MITTEL BOULEVARD, WOOD DALE, IL 60191-1024 Laboratory Director: ANTHONY V. THOMAS, MD, CLIA: 14D0417052

CLIENT SERVICES:

SPECIMEN:

Quest, Quest Diagnostics, the associated logo and all associated Quest Diagnostics marks are the trademarks of Quest Diagnostics.