

Patient Information	Specimen Information	Client Information
DOB: Gender: Phone: Patient ID:	AGE: Specimen: Requisition: Collected: Received: Reported:	

COMMENTS: FASTING:YES

Test Name	In Range	Out Of Range	Reference Range	Lab
HEMOGLOBIN A1c WITH eAG				CB
HEMOGLOBIN A1c	5.5		<5.7 % of total Hgb	
<p>According to ADA guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes-2013. Diabetes Care. 2013;36:s11-s66</p> <p>For the purpose of screening for the presence of diabetes</p> <p><5.7% Consistent with the absence of diabetes</p> <p>5.7-6.4% Consistent with increased risk for diabetes (prediabetes)</p> <p>>or=6.5% Consistent with diabetes</p> <p>This assay result is consistent with a decreased risk of diabetes.</p> <p>Currently, no consensus exists for use of hemoglobin A1c for diagnosis of diabetes for children.</p>				
eAG (mg/dL)	111		(calc)	
eAG (mmol/L)	6.2		(calc)	

PERFORMING SITE:

CB QUEST DIAGNOSTICS WOOD DALE, 1355 MITTEL BOULEVARD, WOOD DALE, IL 60191-1024 Laboratory Director: ANTHONY V. THOMAS, MD, CLIA: 14D0417052