

Patient ID:
Specimen ID:

DOB:
Age:
Sex:

Patient Report

Ordering Physician:



Ordered Items: **Lyme, Line Blot, Serum; Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting:
-----------------	----------------	----------------	----------

Lyme, Line Blot, Serum

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Lyme Ab IgG by Line Blot: ⁰¹				
IgG P93 Ab. ⁰¹	Absent			
IgG P66 Ab. ⁰¹	Absent			
IgG P58 Ab. ⁰¹	Absent			
IgG P45 Ab. ⁰¹	Absent			
IgG P41 Ab. ⁰¹	Absent			
IgG P39 Ab. ⁰¹	Absent			
IgG P30 Ab. ⁰¹	Absent			
IgG P28 Ab. ⁰¹	Absent			
IgG P23 Ab. ⁰¹	Absent			
IgG P18 Ab. ⁰¹	Absent			

Lyme IgG Line Blot Interp.⁰¹

Negative

Positive: 5 of the following
Borrelia-specific bands:
18, 23, 28, 30, 39, 41, 45, 58,
66, and 93.
Negative: No bands or banding
patterns which do not
meet positive criteria.

Lyme Ab IgM by Line Blot: ⁰¹				
IgM P41 Ab. ⁰¹	Absent			
IgM P39 Ab. ⁰¹	Absent			
IgM P23 Ab. ⁰¹	Absent			

Lyme IgM Line Blot Interp.⁰¹

Negative

Note: An equivocal or positive EIA result followed by a negative Line Blot result is considered NEGATIVE. An equivocal or positive EIA result followed by a positive Line Blot is considered POSITIVE by the CDC.

Positive: 2 of the following bands: 23, 39 or 41

Negative: No bands or banding patterns which do not meet positive criteria.

Criteria for positivity are those recommended by CDC/ASTPHLD.

p23=Osp C, p41=flagellin

Note:

Sera from individuals with the following may cross react in the Lyme Line Blot assays: other spirochetal diseases (periodontal disease, leptospirosis, relapsing fever, yaws, and pinta); connective autoimmune (Rheumatoid Arthritis and Systemic Lupus Erythematosus and also individuals with Antinuclear Antibody); other infections (Rocky Mountain Spotted Fever; Epstein-Barr Virus, and Cytomegalovirus).

Patient ID:
Specimen ID:

DOB:
Age:
Sex:

Patient Report

Ordering Physician:



Lyme, Line Blot, Serum (Cont.)

Please Note: Lyme immunoblot alone is not recommended for the diagnosis of Lyme disease. Current guidelines recommend the use of a two-tiered approach to Lyme serology testing to improve the sensitivity and specificity of testing. Labcorp offers test code 164226 Lyme Disease Serology with Reflex to aid in the diagnosis of Lyme Disease.

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

Patient Details

Phone:
Date of Birth:
Age:
Sex:
Patient ID:
Alternate Patient ID:

Physician Details

Request A Test, LTD.
7027 Mill Road Suite 201, BRECKSVILLE, OH,
44141

Phone:
Physician ID:
NPI:

Specimen Details

Specimen ID:
Control ID:
Alternate Control Number:
Date Collected:
Date Received:
Date Entered:
Date Reported:
Rte: