Ordered Items: **Manganese, Plasma; Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting:

Manganese, Plasma

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Manganese, Plasma [A, 01]	<2.5		ug/L	<2.5
			Detection Limit = 2.5	

Disclaimer
The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend
▲ Out of Reference Range ■ Critical or Alert

Comments
A: This test was developed and its performance characteristics determined by Labcorp. It has not been cleared or approved by the Food and Drug Administration.

Performing Labs

Patient Details

Phone:
Date of Birth:
Age:
Sex:
Patient ID:
Alternate Patient ID:

Physician Details

Request A Test, LTD.
7027 Mill Road Suite 201, BRECKSVILLE, OH, 44141

Phone:
Physician ID:
NPI:

Specimen Details
Specimen ID:
Control ID:
Alternate Control Number:
Date Collected:
Date Received:
Date Entered:
Date Reported:
Rte:

©2022 Laboratory Corporation of America® Holdings
All Rights Reserved - Enterprise Report Version 2.00

This document contains private and confidential health information protected by state and federal law.
If you have received this document in error please call 800-877-5227