

Patient Information	Specimen Information	Client Information
DOB: Gender: Fasting: Patient ID: Health ID:	Specimen: Collected: Received: Reported:	

Test Name	In Range	Out Of Range	Reference Range	Lab
ALPHA MELANOCYTE STIMULATING HORMONE	14.1		0-100.0 pg/mL	

Alpha Melanocyte Stimulating Hormone (Alpha MSH)
This test was developed and its analytical
performance characteristics have been
determined by Pan Laboratories, Irvine, CA.
This assay has been validated pursuant to the CLIA
regulations. It has not been cleared or approved by
the U.S. Food and Drug Administration.

Patient Information	Specimen Information	Client Information
CABRERA, MARIA DOB: 12/13/1964 AGE: 56 Gender: F Fasting: Y Patient ID: 62175940 Health ID: 8573022612966501	Specimen: TM054140S Collected: 01/23/2021 / 08:59 EST Received: 01/25/2021 / 20:33 EST Reported: 02/03/2021 / 02:47 EST	FRANGOS, JENNIFER

Test Name	In Range	Out Of Range	Reference Range	Lab
Alpha Melanocyte Stimulating Hormone (Alpha MSH)				

This test was developed and its analytical performance characteristics have been determined by Pan Laboratories, Irvine, CA. This assay has been validated pursuant to the CLIA regulations. It has not been cleared or approved by the U.S. Food and Drug Administration.

Endnote 1

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.