



Patient Information		Specimen Information	Client Information
DOB:	AGE:	Specimen:	
Gender:		Requisition:	
Phone:		Lab Ref #:	
Patient ID:		Collected:	
Health ID:		Received:	
		Reported:	

ALLERGEN REPORT

ALLERGY MOLD PANEL, COMPLETE		CLASS						
Performing Lab: AT		0	1	2	3	4	5	6
Test Name	Results kU/L	0	1	2	3	4	5	6
ALTERNARIA ALTERNATA (M6) IGE	<0.10							
ASPERGILLUS FUMIGATUS (M3) IGE	<0.10							
CLADOSPORIUM HERBARUM (M2) IGE	<0.10							
MUCOR RACEMOSUS (M4) IGE	<0.10							

ALLERGY MOLD PANEL, COMPLETE		CLASS						
Performing Lab: AT		0	1	2	3	4	5	6
Test Name	Results kU/L	0	1	2	3	4	5	6
PENICILLIUM NOTATUM (M1) IGE	<0.10							
STEMPHYLIUM BOTRYOSUM (M10) IGE	<0.10							

INTERPRETATION

See Endnote 1

Endnote 1

Specific IGE Class	kU/L	Level of Allergen Specific IGE Antibody
0	<0.10	Absent/Undetectable
0/1	0.10-0.34	Very Low Level
1	0.35-0.69	Low Level
2	0.70-3.49	Moderate Level
3	3.50-17.4	High Level
4	17.5-49.9	Very High Level
5	50-100	Very High Level
6	>100	Very High Level

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "***" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.