



Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Fasting: Phone: Patient ID: Health ID:	Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	

COMMENTS: FASTING:

Test Name	In Range	Out Of Range	Reference Range	Lab
MYASTHENIA GRAVIS PANEL 3 ACETYLCHOLINE RECEPTOR BINDING ANTIBODY	<0.30		nmol/L	
Reference Ranges for Acetylcholine Receptor Binding Antibody:				
Negative: < or =0.30 nmol/L				
Equivocal: 0.31-0.49 nmol/L				
Positive: > or =0.50 nmol/L				
ACETYLCHOLINE RECEPTOR BLOCKING ANTIBODY	<15		<15 % Inhibition	
ACETYLCHOLINE RECEPTOR MODULATING ANTIBODY	18		% Inhibition	
Reference Range: <32% INHIBITION				

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

STRIATED MUSCLE AB SCREEN NEGATIVE NEGATIVE

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

STRIATED MUSCLE AB TITER

Test Not Performed. Screening test Negative or Not Detected.
Titer not performed.

PERFORMING SITE:

EZ QUEST DIAGNOSTICS/NICHOLS SJC, 33608 ORTEGA HWY, SAN JUAN CAPISTRANO, CA 92675-2042 Laboratory Director: IRINA MARAMICA,MD,PHD,MBA, CLIA: 05D0643352