

Patient Information	Specimen Information	Client Information
<b>DOB:</b> <b>AGE:</b> Gender: Phone: Patient ID: Health ID:	Specimen: Requisition: Lab Ref #:  Collected: Received: Reported:	

**Test Name**                                                  **In Range**                          **Out Of Range**                          **Reference Range**                          **Lab**

**SURESWAB(R), MYCOPLASMA GENITALIUM,REALTIME PCR**

**SURESWAB(R), MYCOPLASMA GENITALIUM,REALTIME PCR** **Lab: AMD**

Test Name	Results	Reference Range
SURESWAB(R), MYCOPLASMA GENITALIUM,REALTIME PCR	Not Detected	Not Detected

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute, Chantilly, VA. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**PERFORMING SITE:**

AMD QUEST DIAGNOSTICS/NICHOLS CHANTILLY, 14225 NEWBROOK DRIVE, CHANTILLY, VA 20151-2228 Laboratory Director: PATRICK W. MASON,MD,PHD, CLIA: 49D0221801  
 AT QUEST DIAGNOSTICS-ATLANTA, 1777 MONTREAL CIRCLE, TUCKER, GA 30084-6802 Laboratory Director: ANDREW N YOUNG,MD,PHD, CLIA: 11D0255931