

Patient Information	Specimen Information	Client Information
<b>DOB:</b> <b>AGE:</b> Gender: Phone: Patient ID: Health ID:	Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	

**COMMENTS:** FASTING:NO

Test Name	In Range	Out Of Range	Reference Range	Lab
MYCOPLASMA PNEUMONIAE ANTIBODIES (IGG, IGM)				
MYCOPLASMA PNEUMONIAE ANTIBODY (IGG)	<=0.90		<=0.90	AMD
Reference Range:				
	<=0.90	Negative		
	0.91-1.09	Equivocal		
	>=1.10	Positive		

A positive IgG result indicates that the patient has antibody to Mycoplasma. It does not differentiate between an active or past infection. The clinical diagnosis must be interpreted in conjunction with the clinical signs and symptoms of the patient.

MYCOPLASMA PNEUMONIAE ANTIBODY (IGM)	255		<770 U/mL	AMD
Reference Range:				
	<770 U/ml	Negative		
	770-950 U/mL	Low positive		
	>950 U/mL	Positive		

A positive IgM antibody result is consistent with recent infection. However, a negative result does not necessarily rule out recent infection as some individuals may not mount another IgM response, if previously infected.

A positive IgM antibody result with or without a positive IgG antibody result, is consistent with recent infection. However, a negative result does not necessarily rule out recent infection as some individuals may not mount another IgM response, if previously infected. A positive IgG antibody result in the absence of a positive IgM antibody result, indicates that the patient has antibody to Mycoplasma. It does not differentiate between an active or past infection. The clinical diagnosis must be interpreted in conjunction with the clinical signs and symptoms of the patient.