



Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Phone: Patient ID: Health ID:	Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	REQUEST A TEST - PWN HEALTH 7027 MILL RD STE 201 BRECKSVILLE, OH 44141-1852

Test Name	In Range	Out Of Range	Reference Range	Lab
HEPATITIS B CORE AB TOTAL	NON-REACTIVE		NON-REACTIVE	CB
HEPATITIS B SURFACE AB		<5 L		CB
IMMUNITY, QN			> OR = 10 mIU/mL	

Patient does not have immunity to hepatitis B virus.

For additional information, please refer to
<http://education.questdiagnostics.com/faq/FAQ105>
 (This link is being provided for informational/
 educational purposes only).

HSV 1/2 IGG, W/REFL				CB
HSV2 INHIBITION				
HSV 1 IGG, TYPE SPECIFIC				
AB	<0.90		index	
HSV 2 IGG, TYPE SPECIFIC				
AB	<0.90		index	
	Index	Interpretation		
	-----	-----		
	<0.90	Negative		
	0.90-1.09	Equivocal		
	>1.09	Positive		

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

See Endnote 1

CHLAMYDIA TRACHOMATIS				CA
RNA, TMA, UROGENITAL	NOT DETECTED		NOT DETECTED	

See Endnote 2

NEISSERIA GONORRHOEAE				CA
RNA, TMA, UROGENITAL	NOT DETECTED		NOT DETECTED	

See Endnote 2

SYPHILIS ANTIBODY				CB
CASCADING REFLEX				
T. PALLIDUM AB	NEGATIVE		NEGATIVE	

No antibodies to T. pallidum (the agent causing syphilis) were detected in the specimen. This result, however, does not exclude very recent T. pallidum infection; testing of a second specimen, collected 2-4 weeks after this specimen, is recommended if the index of suspicion for recent infection is high.



Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Patient ID: Health ID:	Specimen: Collected: Received: Reported:	

Endnote 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ118>
 (This link is being provided for informational/educational purposes only.)

Endnote 2

The analytical performance characteristics of this assay, when used to test SurePath(TM) specimens have been determined by Quest Diagnostics. The modifications have not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

For additional information, please refer to <https://education.questdiagnostics.com/faq/FAQ154>
 (This link is being provided for informational/educational purposes only.)



Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Patient ID: Health ID:	Specimen: Collected: Received: Reported:	

Infectious Diseases

Test Name	Result	Reference Range	Lab
HIV 1/2 ANTIGEN/ANTIBODY, FOURTH GENERATION W/RFL			CB
HIV AG/AB, 4TH GEN	NON-REACTIVE	NON-REACTIVE	

HIV-1 antigen and HIV-1/HIV-2 antibodies were not detected. There is no laboratory evidence of HIV infection.

PLEASE NOTE: This information has been disclosed to you from records whose confidentiality may be protected by state law. If your state requires such protection, then the state law prohibits you from making any further disclosure of the information without the specific written consent of the person to whom it pertains, or as otherwise permitted by law. A general authorization for the release of medical or other information is NOT sufficient for this purpose.

For additional information please refer to <http://education.questdiagnostics.com/faq/FAQ106> (This link is being provided for informational/educational purposes only.)

The performance of this assay has not been clinically validated in patients less than 2 years old.

Physician Comments:

Infectious Diseases

Test Name	Result	Reference Range	Lab
HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM			CB
HEPATITIS B SURFACE ANTIGEN	NON-REACTIVE	NON-REACTIVE	
HEPATITIS C AB W/REFL TO HCV RNA, QN, PCR			CB
HEPATITIS C ANTIBODY	NON-REACTIVE	NON-REACTIVE	
INDEX	0.17	<1.00	

HCV antibody was non-reactive. There is no laboratory evidence of HCV infection.

In most cases, no further action is required. However, if recent HCV exposure is suspected, a test for HCV RNA (test code 35645) is suggested.

For additional information please refer to <http://education.questdiagnostics.com/faq/FAQ22v1> (This link is being provided for informational/educational purposes only.)

Physician Comments:

PERFORMING SITE:

CA QUEST DIAGNOSTICS - SCHAUMBURG, 506 EAST STATE PARKWAY, SCHAUMBURG, IL 60173-4538 Laboratory Director: ANTHONY V THOMAS, MD, CLIA: 14D0416537
 CB QUEST DIAGNOSTICS WOOD DALE, 1355 MITTEL BOULEVARD, WOOD DALE, IL 60191-1024 Laboratory Director: ANTHONY V. THOMAS, MD, CLIA: 14D0417052