

Patient ID:  
Specimen ID:

DOB:  
Age:  
Sex:

**Patient Report**

Ordering Physician:



Ordered Items: **HSV 1 and 2 Ab, IgG ; Hepatitis B Surf Ab Quant; T pallidum Screening Cascade; HIV Ab/p24 Ag with Reflex; HCV Antibody; HBsAg Screen; Hep B Core Ab, Tot; Chlamydia trachomatis, NAA; Neisseria gonorrhoeae, NAA; Venipuncture Measles/Mumps/Rubella Immunity; Varicella-Zoster V Ab, IgG; CBC With Differential/Platelet; ABO Grouping and Rho(D) Typing; Gest. Diabetes 1-Hr Screen; Hep A Ab, Total**

Date Collected:                      Date Received:                      Date Reported:                      Fasting:

**General Comments & Additional Information**

**HSV 1 and 2 Ab, IgG**

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HSV 1 IgG, Type Spec <sup>01</sup>	<0.91		index	0.00-0.90
		Negative	<0.91	
		Equivocal	0.91 - 1.09	
		Positive	>1.09	

Note: Negative indicates no antibodies detected to HSV-1. Equivocal may suggest early infection. If clinically appropriate, retest at later date. Positive indicates antibodies detected to HSV-1.

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HSV 2 IgG, Type Spec <sup>01</sup>	<0.91		index	0.00-0.90
		Negative	<0.91	
		Equivocal	0.91 - 1.09	
		Positive	>1.09	

HSV-2 Antibody Interpretation: Negative indicates no detectable antibodies to HSV-2 were found. If recent exposure is suspected, retest in 4-6 weeks. Equivocal samples should be retested in 4-6 weeks. Positive indicates the presence of detectable IgG antibody to HSV-2. False positive results may occur. Repeat testing, or testing by a different method, may be indicated in some settings (e.g. patients with low likelihood of HSV infection). If clinically appropriate, retest 4-6 weeks later.

**Hepatitis B Surf Ab Quant**

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hepatitis B Surf Ab Quant <sup>01</sup>	39.3		mIU/mL	Immunity>9.9
	<u>Status of Immunity</u>		<u>Anti-HBs Level</u>	
	Inconsistent with Immunity		0.0 - 9.9	
	Consistent with Immunity		>9.9	

**T pallidum Screening Cascade**

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
T pallidum Antibodies <sup>02</sup>	Non Reactive			Non Reactive

**HIV Ab/p24 Ag with Reflex**

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HIV Ab/p24 Ag Screen <sup>01</sup>	Non Reactive			Non Reactive
	HIV Negative HIV-1/HIV-2 antibodies and HIV-1 p24 antigen were NOT detected. There is no laboratory evidence of HIV infection.			




Date Created and Stored

**Final Report**

DOB:

## Patient Report



Patient ID:

Age:

Ordering Physician:

Specimen ID:

Sex:

## HCV Antibody

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hep C Virus Ab <sup>01</sup>	Non Reactive HCV antibody alone does not differentiate between previously resolved infection and active infection. Equivocal and Reactive HCV antibody results should be followed up with an HCV RNA test to support the diagnosis of active HCV infection.			Non Reactive

## HBsAg Screen

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
HBsAg Screen <sup>01</sup>	Negative			Negative

## Hep B Core Ab, Tot

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hep B Core Ab, Tot <sup>01</sup>	Negative			Negative

## Chlamydia trachomatis, NAA

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Chlamydia trachomatis, NAA <sup>01</sup>	Negative			Negative

## Neisseria gonorrhoeae, NAA

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Neisseria gonorrhoeae, NAA <sup>01</sup>	Negative			Negative

## Measles/Mumps/Rubella Immunity

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Rubella Antibodies, IgG <sup>01</sup>	8.00		index	Immune >0.99
		Non-immune	<0.90	
		Equivocal	0.90 – 0.99	
		Immune	>0.99	
Measles Antibodies, IgG <sup>01</sup>	268.0		AU/mL	Immune >16.4
		Negative	<13.5	
		Equivocal	13.5 – 16.4	
		Positive	>16.4	
	Presence of antibodies to Rubeola is presumptive evidence of immunity except when acute infection is suspected.			
Mumps Abs, IgG <sup>01</sup>	51.6		AU/mL	Immune >10.9
		Negative	< 9.0	
		Equivocal	9.0 – 10.9	
		Positive	>10.9	
	A positive result generally indicates past exposure to Mumps virus or previous vaccination.			

DOB:

## Patient Report



Patient ID:

Age:

Ordering Physician

Specimen ID:

Sex:

## Varicella-Zoster V Ab, IgG

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Varicella Zoster IgG <sup>01</sup>	222		index	Immune >165
		Negative	<135	
		Equivocal	135 - 165	
		Positive	>165	

A positive result generally indicates exposure to the pathogen or administration of specific immunoglobulins, but it is not indication of active infection or stage of disease.

## CBC With Differential/Platelet

Test	Current Result and Flag	Previous Result and Date	U nits	Reference Interval
WBC <sup>01</sup>	4.8		x10 <sup>3</sup> /uL	3.4-10.8
RBC <sup>01</sup>	4.43		x10 <sup>6</sup> /uL	3.77-5.28
Hemoglobin <sup>01</sup>	12.8		g/dL	11.1-15.9
Hematocrit <sup>01</sup>	37.1		%	34.0-46.6
MCV <sup>01</sup>	84		fL	79-97
MCH <sup>01</sup>	28.9		pg	26.6-33.0
MCHC <sup>01</sup>	34.5		g/dL	31.5-35.7
RDW <sup>01</sup>	14.1		%	11.7-15.4
Platelets <sup>01</sup>	344		x10 <sup>3</sup> /uL	150-450
Neutrophils <sup>01</sup>	35		%	Not Estab.
Lymphs <sup>01</sup>	56		%	Not Estab.
Monocytes <sup>01</sup>	7		%	Not Estab.
Eos <sup>01</sup>	2		%	Not Estab.
Basos <sup>01</sup>	0		%	Not Estab.
Neutrophils (Absolute) <sup>01</sup>	1.7		x10 <sup>3</sup> /uL	1.4-7.0
Lymphs (Absolute) <sup>01</sup>	2.7		x10 <sup>3</sup> /uL	0.7-3.1
Monocytes(Absolute) <sup>01</sup>	0.3		x10 <sup>3</sup> /uL	0.1-0.9
Eos (Absolute) <sup>01</sup>	0.1		x10 <sup>3</sup> /uL	0.0-0.4
Baso (Absolute) <sup>01</sup>	0.0		x10 <sup>3</sup> /uL	0.0-0.2
Immature Granulocytes <sup>01</sup>	0		%	Not Estab.
Immature Grans (Abs) <sup>01</sup>	0.0		x10 <sup>3</sup> /uL	0.0-0.1

## ABO Grouping and Rho(D) Typing

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
ABO Grouping <sup>01</sup>	B			
Rh Factor <sup>01</sup>	Positive			



Date Created and Stored

Final Report

DOB:

**Patient Report**

Patient ID: Specimen ID:

Age:

Ordering Physician:

Sex:

**Gest. Diabetes 1-Hr Screen**

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Gestational Diabetes Screen <sup>01</sup>	113		mg/dL	65-139
According to ADA, a glucose threshold of >139 mg/dL after 50-gram load identifies approximately 80% of women with gestational diabetes mellitus, while the sensitivity is further increased to approximately 90% by a threshold of >129 mg/dL.				

**Hep A Ab, Total**

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Hep A Ab, Total <sup>01</sup>	Negative			Negative

**Disclaimer**

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

**Icon Legend**

▲ Out of Reference Range ■ Critical or Alert

**Performing Labs****Patient Details**

Phone:  
Date of Birth:  
Age:  
Sex:  
Patient ID: Alternate Patient ID:

**Physician Details**

Phone:  
Physician ID:  
NPI:

**Specimen Details**

Specimen ID:  
Control ID:  
Alternate Control Number:  
Date Collected:  
Date Received:  
Date Entered:  
Date Reported:  
Rte: