

Specimen ID:
 Control ID:

Phone:

Rte:


Patient Details

 DOB:
 Age(y/m/d):
 Gender: SSN:
 Patient ID:

Specimen Details

 Date collected:
 Date received:
 Date entered:
 Date reported:

Physician Details

 Ordering:
 Referring:
 ID:
 NPI:

General Comments & Additional Information

 Alternate Control Number:
 Total Volume:

 Alternate Patient ID:
 Fasting:

Ordered Items

Prothrombin Time (PT); PTT, Activated; Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Prothrombin Time (PT)					
INR	1.0			0.8 - 1.2	01
Reference interval is for non-anticoagulated patients. Suggested INR therapeutic range for Vitamin K antagonist therapy: Standard Dose (moderate intensity therapeutic range): 2.0 - 3.0 Higher intensity therapeutic range 2.5 - 3.5					
Prothrombin Time	11.0		sec	9.1 - 12.0	01

PTT, Activated

aPTT	28		sec	24 - 33	01
This test has not been validated for monitoring unfractionated heparin therapy. aPTT-based therapeutic ranges for unfractionated heparin therapy have not been established. For general guidelines on Heparin monitoring, refer to the LabCorp Directory of Services.					