

Patient ID:
Specimen ID:

DOB
Age:
Sex:

Patient Report



Ordering Physician:

Ordered Items: **M080-IgE Staph enterotoxin A; Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting:
-----------------	----------------	----------------	----------

M080-IgE Staph enterotoxin A

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
M080-IgE Staph enterotoxin A ⁰¹	<0.10		kU/L	Class 0
Class Description ⁰¹				
	Levels of Specific IgE	Class	Description of Class	
	< 0.10	0	Negative	
	0.10 - 0.31	0/I	Equivocal/Low	
	0.32 - 0.55	I	Low	
	0.56 - 1.40	II	Moderate	
	1.41 - 3.90	III	High	
	3.91 - 19.00	IV	Very High	
	19.01 - 100.00	V	Very High	
	>100.00	VI	Very High	

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

01: BN - Labcorp Burlington 1447 York Court, Burlington, NC, 27215-3361 Dir: Sanjai Nagendra, MD
For Inquiries, the physician may contact Branch: 800-762-4344 Lab: 800-631-5250

Patient Details

Phone:
Date of Birth:
Age:
Sex:
Patient ID:
Alternate Patient ID:

Physician Details

Request A Test, LTD.
7027 Mill Road Suite 201, BRECKSVILLE, OH,
44141

Phone:

Physician ID:
NPI:

Specimen Details

Specimen ID:
Control ID:
Alternate Control Number:
Date Collected:
Date Received:
Date Entered:
Date Reported:
Rte:



Date Created and Stored

Final Report Page 1 of 1