

Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Patient ID:	Specimen: Collected: Received: Reported:	

Test Name	In Range	Out Of Range	Reference Range	Lab
------------------	-----------------	---------------------	------------------------	------------

TETANUS ANTITOXOID	1.38		IU/mL	TXC
REFERENCE RANGE: > or = 0.50 IU/mL (Post-Vaccination)				

INTERPRETIVE CRITERIA:

<0.05 IU/mL Nonprotective Antibody Level
0.05 - 0.49 IU/mL Indeterminate for Protective Antibody
> or = 0.50 IU/mL Protective Antibody Level

> or = 0.50 IU/mL Protective Antibody Level
Levels greater than or equal to 0.50 IU/mL are generally considered protective, whereas levels less than 0.05 IU/mL indicate a lack of protective antibody. Levels between 0.05 and 0.49 IU/mL are indeterminate for the presence of protective antibody and may indicate a need for further immunization to tetanus toxoid.

This test was developed and its analytical Performance characteristics have been determined by Focus Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

DIPHTHERIA ANTITOXOID	0.22		IU/mL	TXC
REFERENCE RANGE: > or = 0.01 IU/mL (Post-Vaccination)				

INTERPRETIVE CRITERIA:

<0.01 IU/mL Nonprotective Antibody Level
> or = 0.01 IU/mL Protective Antibody Level

This test was developed and its analytical Performance characteristics have been determined by Focus Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

PERFORMING SITE:

TXC FOCUS DIAGNOSTICS, 33608 ORTEGA HIGHWAY BLD B-WEST WING, SAN JUAN CAPISTRANO, CA 92675-2042 Laboratory Director: HOLLIS BATTERMAN,MD, CLIA: 05D0644251