

Ordered Items: **TgAb+Thyroglobulin,IMA or LCMS; Drawing Fee**

Date Collected:	Date Received:	Date Reported:	Fasting:
-----------------	----------------	----------------	----------

**TgAb+Thyroglobulin,IMA or LCMS**

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Thyroglobulin Antibody <sup>01</sup>	<1.0		IU/mL	0.0-0.9
	Thyroglobulin Antibody measured by Beckman Coulter Methodology			
Thyroglobulin by IMA <sup>01</sup>	30.8		ng/mL	1.5-38.5
Comment: <sup>01</sup>	According to the National Academy of Clinical Biochemistry, the reference interval for Thyroglobulin (TG) should be related to euthyroid patients and not for patients who underwent thyroidectomy. TG reference intervals for these patients depend on the residual mass of the thyroid tissue left after surgery. Establishing a post-operative baseline is recommended. The assay limit of quantitation is 0.1 ng/mL Thyroglobulin measured by Beckman Coulter Immunometric Assay			

**Disclaimer**  
The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

**Icon Legend**  
▲ Out of Reference Range    ■ Critical or Alert

**Performing Labs**  
01: DA - Labcorp Dallas 7777 Forest Ln Bldg C350, Dallas, TX, 75230-2544 Dir: CN Etufugh, MD  
For Inquiries, the physician may contact Branch: 800-762-4344 Lab: 913-338-4070

Patient Details	Physician Details	Specimen Details
Phone: Date of Birth: Age: Sex: Patient ID: Alternate Patient ID:	Phone: Physician ID: NPI:	Specimen ID: Control ID: Alternate Control Number: Date Collected: Date Received: Date Entered: Date Reported: Rte: