



Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Phone: Patient ID: Health ID:	Specimen: Requisition: Lab Ref#: Collected: Received: Reported:	REQUEST A TEST - PWN HEALTH 7027 MILL RD STE 201 BRECKSVILLE, OH 44141-1852

Test Name	In Range	Out Of Range	Reference Range	Lab
THYROID PANEL WITH TSH				
THYROID PANEL				CB
T3 UPTAKE	22		22-35 %	
T4 (THYROXINE), TOTAL	5.2		5.1-11.9 mcg/dL	
FREE T4 INDEX (T7)	1.9		1.4-3.8	
TSH	1.48		mIU/L	CB
			Reference Range	
			>or = 20 Years 0.40-4.50	
			Pregnancy Ranges	
			First trimester 0.26-2.66	
			Second trimester 0.55-2.73	
			Third trimester 0.43-2.91	
T4, FREE	1.2		0.8-1.8 ng/dL	CB
T3, FREE	3.0		2.3-4.2 pg/mL	CB
T3, TOTAL	76		76-181 ng/dL	CB
T3 REVERSE, LC/MS/MS	8		8-25 ng/dL	EZ
<p>This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.</p>				
THYROGLOBULIN ANTIBODIES	<1		<or = 1 IU/mL	CB
THYROID PEROXIDASE ANTIBODIES	5		<9 IU/mL	CB

PERFORMING SITE:

CB QUEST DIAGNOSTICS WOOD DALE, 1355 MITTEL BOULEVARD, WOOD DALE, IL 60191-1024 Laboratory Director: ANTHONY V. THOMAS, MD, CUA: 14D0417052
 EZ QUEST DIAGNOSTICS/NICHOLS SJ, 33608 ORTEGA HWY, SAN JUAN CAPISTRANO, CA 92675-2042 Laboratory Director: IRINA MARAMICA, MD, PHD, MBA, CUA: 05D0643352