

Patient Information	Specimen Information	Client Information
<b>DOB:</b> <b>AGE:</b> Gender: Phone: Patient ID:	Specimen: Requisition: Lab Ref #:  Collected: Received: Reported:	

Test Name	In Range	Out Of Range	Reference Range	Lab
THYROID PANEL WITH TSH				
THYROID PANEL				IG
T3 UPTAKE	35		22-35 %	
T4 (THYROXINE), TOTAL	6.0		4.5-12.0 mcg/dL	
FREE T4 INDEX (T7)	2.1		1.4-3.8	
TSH	1.98		0.40-4.50 mIU/L	IG
T4, FREE	1.4		0.8-1.8 ng/dL	IG
T3, FREE	3.5		2.3-4.2 pg/mL	IG
T3 REVERSE, LC/MS/MS	20		8-25 ng/dL	EZ

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**PERFORMING SITE:**

EZ    QUEST DIAGNOSTICS/NICHOLS SJC, 33608 ORTEGA HWY, SAN JUAN CAPISTRANO, CA 92675-2042 Laboratory Director: JON NAKAMOTO, MD PHD, CLIA: 05D0643352  
 IG    QUEST DIAGNOSTICS-IRVING, 4770 REGENT BLVD., IRVING, TX 75063 Laboratory Director: ROBERT L BRECKENRIDGE, MD, CLIA: 45D0697943