

Ordered Items: **Toxoplasma gondii Ab,IgM; Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting: No
-----------------	----------------	----------------	--------------------

Toxoplasma gondii Ab,IgM

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Toxoplasma gondii Ab,IgM ⁰¹	<3.0		AU/mL	0.0-7.9
		Negative	<8.0	
		Equivocal	8.0 - 9.9	
		Positive	>9.9	
Comment: ⁰¹	It is presumed the patient has not been infected with and is not undergoing an acute infection with Toxoplasma. If symptoms persist, submit a new specimen after three weeks.			

Disclaimer
The Previous Result is listed for the most recent test performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the result to the patient.

Icon Legend
▲ Out of reference range ■ Critical or Alert

Performing Labs
01: BN - LabCorp Burlington 1447 York Court, Burlington, NC, 27215-3361 Dir: Sanjai Nagendra, MD
For Inquiries, the physician can contact Branch: 800-762-4344 Lab: 858-668-3700

Patient Details	Physician Details	Specimen Details
Phone: Date of Birth: Age: Sex: Patient ID: Alternate Patient ID:	Request A Test, LTD. 7027 Mill Road Suite 201, BRECKSVILLE, OH, 44141 Phone: Physician ID: NPI:	Specimen ID: Control ID: Alternate Control Number: Date Collected: Date Received: Date Entered: Date Reported: Rte: