IG

IG

IG



Patient Information	Specimen Information	Client Information	
DOB: AGE: Gender: Fasting: Phone: Patient ID: Health ID:	Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	REQUEST A TEST - PWN HEALTH 7027 MILL RD STE 201 BRECKSVILLE, OH 44141-1852	

	T / CTT 10 310
COMMENTS.	FASTING:NO

Test Name	In Range Out Of Range	Reference Range	Lab
HEPATITIS B CORE AB TOTAL	NON-REACTIVE	NON-REACTIVE	IG
HEPATITIS B SURFACE AB			IG
IMMUNITY. ON	<5 L	> OR = 10 mTU/mL	

Patient does not have immunity to hepatitis B virus.

For additional information, please refer to http://education.questdiagnostics.com/faq/FAQ105 (This link is being provided for informational/ educational purposes only).

HSV 1/2 IGG, W/REFL

HSV2 INHIBITION

HSV 1 IGG, TYPE SPECIFIC AB

HSV 2 IGG, TYPE SPECIFIC

AB

< 0.90 <0.90

index

index

Index Interpretation <0.90 Negative 0.90 - 1.09Equivocal >1.09 Positive

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

See Endnote 1

CHLAMYDIA TRACHOMATIS			IG
RNA, TMA, UROGENITAL	NOT DETECTED	NOT DETECTED	
See Endnote 2			

NEISSERIA GONORRHOEAE NOT DETECTED NOT DETECTED RNA, TMA, UROGENITAL

See Endnote 2

TRICHOMONAS VAGINALIS RNA NOT DETECTED NOT DETECTED QUALITATIVE TMA, MALES

The analytical performance characteristics of this assay have been determined by Quest Diagnostics. The modifications have not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

For additional information, please refer to

CLIENT SERVICES:

Report Status: Final



Patient Information		Specimen Information	Client Information	
DOB: Gender: Patient ID: Health ID:	AGE: Fasting:	Specimen: Collected: Received: Reported:	*	

Test Name In Range Out Of Range Reference Range Lab

http://education.questdiagnostics.com/faq/Trichomonastma

(This link is being provided for informational/

educational purposes only.)

SYPHILIS ANTIBODY CASCADING REFLEX

T. PALLIDUM AB NEGATIVE

Reference range: Negative

No antibodies to T. pallidum (the agent causing syphilis) were detected in the specimen. This result, however, does not exclude very recent T. pallidum infection; testing of a second specimen, collected 2-4 weeks after this specimen, is recommended if the index of suspicion for recent infection is high.

EZ

EZ



Patient Information		Specimen Information	Client Information	
DOB: Gender: Patient ID: Health ID:	AGE: Fasting:	Specimen: Collected: Received: Reported:		

Infectious Diseases

Test Name	Result	Reference Range	Lab
HIV 1/2 ANTIGEN/ANTIBODY, FOURTH GENERATION W/RFL			IG
HIV AG/AB, 4TH GEN	NON-REACTIVE	NON-REACTIVE	

HIV-1 antigen and HIV-1/HIV-2 antibodies were not detected. There is no laboratory evidence of HIV infection.

PLEASE NOTE: This information has been disclosed to you from records whose confidentiality may be protected by state law. If your state requires such protection, then the state law prohibits you from making any further disclosure of the information without the specific written consent of the person to whom it pertains, or as otherwise permitted by law. A general authorization for the release of medical or other information is NOT sufficient for this purpose.

For additional information please refer to http://education.questdiagnostics.com/faq/FAQ106 (This link is being provided for informational/educational purposes only.)

The performance of this assay has not been clinically validated in patients less than 2 years old.

Physician Comments:

Infectious Diseases

Test Name	Result	Reference Range	Lab
HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM			IG
HEPATITIS B SURFACE ANTIGEN	NON-REACTIVE	NON-REACTIVE	
HEPATITIS A AB, TOTAL	NON-REACTIVE	NON-REACTIVE	IG
HEPATITIS C AB W/REFL TO HCV RNA, QN, PCR			IG
HEPATITIS C ANTIBODY	NON-REACTIVE	NON-REACTIVE	
INDEX	0.01	<1.00	

HCV antibody was non-reactive. There is no laboratory evidence of HCV infection.

In most cases, no further action is required. However, if recent HCV exposure is suspected, a test for HCV RNA (test code 35645) is suggested.

For additional information please refer to http://education.questdiagnostics.com/faq/FAQ22v1 (This link is being provided for informational/educational purposes only.)

Physician Comments:

End Notes:

HEPATITIS A AB, TOTAL

IG

For additional information, please refer to http://education.questdiagnostics.com/faq/FAQ202 (This link is being provided for informational/ educational purposes only.)

PERFORMING SITE:

- EZ QUEST DIAGNOSTICS/NICHOLS SJC, 33608 ORTEGA HWY, SAN JUAN CAPISTRANO, CA 92675-2042 Laboratory Director: IRINA MARAMICA,MD,PHD,MBA, CLIA: 05D0643352
- IG QUEST DIAGNOSTICS-IRVING, 4770 REGENT BLVD., IRVING, TX 75063-2445 Laboratory Director: ROBERT L BRECKENRIDGE, MD, CLIA: 45D0697943

CLIENT SERVICES: