DOB:

Patient Report

labcorp

Patient ID: Age: Specimen ID: Sex:

Ordering Physician:

Date Collected: Date Received: Date Reported: Fasting:

Ordered Items: STI Profile, CT/NG/TV; HSV 1 and 2 Ab, IgG; Hep A Ab, Total; Venipuncture

General Comments & Additional Information

Clinical Info: URINE COLLECTION

Clinical Info: SRC:CU

Date Collected: 08/15/2023

STI Profile, CT/NG/TV

Test	Current Result and Flag	Pre	ious Resu	ult and Date	Units	Reference Interv
HBsAg Screen 01	Negative					Negative
Hep B Surface Ab, Qual ⁰¹	Reactive	Non Read	e:	less than 1 Consistent	t with immunity, 0 mIU/mL with immunity, n 9.9 mIU/mL	
Hep B Core Ab, Tot 01	Negative					Negative
Rfx to HBc IgM	Reflex criteria was not met					
Interpretation ⁰²	HBV Serology Interpretation Chart					
	Interpretation	HBsAg a	nti-HBs	anti-HBc	anti-HBc IgM	
	Key - Analyte present: + Analyte absent: - Test not indicated: TNI					
	Susceptible (never infected and no evidence of vaccination)	Ð	=7	: <u>#</u>	TNI	
	Immune due to natural resolved infection	£	+	*	TNI	
	Immune due to vaccination		+	1 71	TNI	
	Acute Infection	·+	=9	+	° 4	
	Chronic infection	Æ	5.	*	-	
	Interpretation unclear*	ω.	=9	+	+/-	
	*Multiple possibilities: r positive anti-HBc (suscep resolving acute infection	esolved i	nfectio	n (most com	mon); false-	
HCV Ab ⁰¹	Non Reactive					Non Reactive
Interpretation: 01	Not infected with HCV unles suspected (which may be del individual), or other evide	ayed in a	n immun	ocompromise	d	
RPR ⁰¹	Non Reactive	Non Re	72/10	03/01/202		Non Reactive

labcorp Final Report Page 1 of 3

Patient Report

DOB: Age:

Sex: Ordering Physician:



Date Collected:

STI Profile, CT/NG/TV (Cont.)

HIV Ab/p24 Ag Screen 11	Non Reactive	Non Reactive 03/01/2021	Non Reactive
	HIV Negative		
	HIV-1/HIV-2 antibodies		
	There is no laboratory		
Chlamydia by NAA 03	Negative		Negative
Gonococcus by NAA 03	Negative		Negative
Trich vag by NAA 03	Negative		Negative

HSV 1 and 2 Ab, IgG

Patient ID:

Specimen ID:

Test	Current Result and I	Flag Previous Result and Date	Units	Reference Interva
HSV 1 IgG, Type Spec [⊕]	HSV-	Negative Equivocal Positive : Negative indicates no antibodies de 1. Equivocal may suggest early infect nically appropriate, retest at later of Loates antibodies detected to HSV-1.	ion. If	0.00-0.90
HSV 2 IgG, Type Spec ^{o1}	dete expo samp indi HSV- test indi like	Negative Equivocal Positive 2 Antibody Interpretation: Negative is estable antibodies to HSV-2 were found posure is suspected, retest in 4-6 weeks ples should be retested in 4-6 weeks. icates the presence of detectable IgG 2. False positive results may occur. Ing, or testing by a different method icated in some settings (e.g. patients elihood of HSV infection). If clinical ropriate, retest 4-6 weeks later.	>1.09 >1.09 indicates no d. If recent ss. Equivocal Positive antibody to Repeat d, may be s with low	0.00-0.90

Hep A Ab, Total

Test	est Current Result and Flag Previou		Units	Reference Interval
Hep A Ab, Total ^{⊕1}	Negative			Negative

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

Performing Labs

labcorp Final Report Page 2 of 3

Patient Report DOB:

Ordering Physician:

Patient ID: Account Number: Age: Specimen ID: Sex:

Patient Details

Phone:

Age: Sex:

Date of Birth:

Patient ID:

Physician Details

Request A Test, LTD.

7027 Mill Road Suite 201, BRECKSVILLE, OH,

44141

Phone:

Physician ID:

NPI:

Alternate Patient ID:

Specimen Details Specimen ID: Control ID:

Alternate Control Number:

labcorp

Date Collected: Date Received: Date Entered: . Date Reported:

labcorp Final Report Page 3 of 3