

Ordered Items: **Vitamin A, Serum; Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting: Yes
-----------------	----------------	----------------	---------------------

Vitamin A, Serum

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Vitamin A ⁰¹	49.3		ug/dL	18.9-57.3

Reference intervals for vitamin A determined from LabCorp internal studies. Individuals with vitamin A less than 20 ug/dL are considered vitamin A deficient and those with serum concentrations less than 10 ug/dL are considered severely deficient. This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

Disclaimer
The Previous Result is listed for the most recent test performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the result to the patient.

Icon Legend
▲ Out of reference range ■ Critical or Alert

Performing Labs
01: BN - LabCorp Burlington 1447 York Court, Burlington, NC, 27215-3361 Dir: Sanjai Nagendra, MD
For Inquiries, the physician can contact Branch: 800-762-4344 Lab: 858-668-3700

Patient Details Phone: Date of Birth: Age: Sex: Patient ID: Alternate Patient ID:	Physician Details Request A Test, LTD. 7027 Mill Road Suite 201, BRECKSVILLE, OH, 44141 Phone: Physician ID: NPI:	Specimen Details Specimen ID: Control ID: Alternate Control Number: Date Collected: Date Received: Date Entered: Date Reported: Rte:
--	---	---