

Ordered Items: **Calcitriol(1,25 di-OH Vit D); Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting: No
-----------------	----------------	----------------	--------------------

Calcitriol(1,25 di-OH Vit D)

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Calcitriol(1,25 di-OH Vit D) ⁰¹	53.1		pg/mL	19.9-79.3

Disclaimer
The Previous Result is listed for the most recent test performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the result to the patient.

Icon Legend
▲ Out of reference range ■ Critical or Alert

Performing Labs
01: TA - LabCorp Tampa 5610 W LaSalle Street, Tampa, FL, 33607-1770 Dir: Sean Farrier, MD
For Inquiries, the physician can contact Branch: 800-762-4344 Lab: 800-877-5227

Patient Details Phone: Date of Birth: Age: Sex: Patient ID: Alternate Patient ID:	Physician Details Request A Test, LTD. 7027 Mill Road Suite 201, BRECKSVILLE, OH, 44141 Phone: Physician ID: NPI:	Specimen Details Specimen ID: Control ID: Alternate Control Number: Date Collected: Date Received: Date Entered: Date Reported: Rte:
--	---	---