Specimen ID: Control ID: Phone:

Rte:

## 

Patient Details

DOB:

Age(y/m/d):

Gender:

Patient ID:

Specimen Details

Date collected:
Date received:
Date entered:
Date entered:
Date reported:

Patient ID:

Physician Details
Ordering:
Referring:
ID:
NPI:

## General Comments & Additional Information

**Alternate Control Number:** 

**Total Volume:** 

Alternate Patient ID: Fasting: Yes

## Ordered Items

Comp. Metabolic Panel (14); OmegaCheck(TM) (EPA+DPA+DHA); Iron and TIBC; Vitamin B12 and Folate; Vitamin E; Vitamin B6, Plasma; Vitamin A, Serum; Vitamin D, 25-Hydroxy; Vitamin B1 (Thiamine), Blood; Vitamin K1; Magnesium; Zinc, Plasma or Serum; Ferritin, Serum; Drawing Fee

TESTS	RESULT	FLAG	UNITS RE	FERENCE INTERVAL	LAB
Comp. Metabolic Panel (14)					
Glucose	94		mg/dL	65-99	01
BUN	14		mg/dL	8-27	01
Creatinine	0.94		mg/dL	0.57-1.00	01
eGFR If NonAfricn Am	60		mL/min/1.73	>59	
eGFR If Africn Am	70		mL/min/1.73	>59	
BUN/Creatinine Ratio	15			12-28	
Sodium	140		mmol/L	134-144	01
Potassium	4.1		mmol/L	3.5-5.2	01
Chloride	102		mmol/L	96-106	01
Carbon Dioxide, Total	25		mmol/L	20-29	01
Calcium	9.2		mg/dL	8.7-10.3	01
Protein, Total	7.8		g/dL	6.0-8.5	01
Albumin	4.3		g/dL	3.7-4.7	01
Globulin, Total	3.5		g/dL	1.5-4.5	
A/G Ratio	1.2			1.2-2.2	
Bilirubin, Total	0.5		mg/dL	0.0-1.2	01
Alkaline Phosphatase	63		IU/L	39-117	01
AST (SGOT)	21		IU/L	0-40	01
ALT (SGPT)	16		IU/L	0-32	01
OmegaCheck(TM) (EPA+DPA+DHA)					
OmegaCheck (TM)	10.5		% by wt	>5.4	03

Relative Risk: LOW

Increasing blood levels of long-chain n-3 fatty acids are associated with a lower risk of sudden cardiac death (1). Based on the top (75th percentile) and bottom (25th percentile) quartiles of the CHL reference population, the following risk categories were established for OmegaCheck: A cut-off of >=5.5% by wt defines a population at low



Patient: DOB:

Patient ID:

Control ID:

Specimen ID: Date collected:

TESTS	RESULT	FLAG UI	NITS	REFERENCE INTERVAL	LAB
relative risk, 3.8-5.4% moderate relative risk, population at high relation the totality of the scient when consumption of fish of EPA and DHA, there is bleeding time beyond the gram of EPA and DHA lower about 7-10% within 2 to NEJM. 2002; 346: 1113-11	and <=3.7% cive risk of the ri	nes a populati by wt defines sudden cardi lence demonstr mited to 3 g/ cant risk for age. A daily depute the sudden to 3 g/ culating trigl	on at ac dea ates t day or incre osage yceric	ath. that r less eased of 1 des by	
Arachidonic Acid/EPA Ratio	15.7			3.7-40.7	02
Omega-6/Omega-3 Ratio	9.1			3.7-14.4	02
Omega-3 total	4.1	용	by wt		02
EPA	0.7	8	by wt	0.2-2.3	02
DPA	1.1	8	by wt	0.8-1.8	02
DHA	2.3	용	by wt	1.4-5.1	02
Omega-6 total Cleveland HeartLab meas with AA and LA being th	e two most	er of omega-6		acids	02
Arachidonic Acid	11.0	왕	by wt	8.6-15.6 18.6-29.5	02
This test is performed Mass Spectrometry (LC/M and its performance cha Cleveland HeartLab, Inc by the U.S. FDA. The Cl Clinical Laboratory Imp qualified to perform hi used for clinical purpo investigational or for	S/MS) metho racteristic . It has no eveland Hearovement Amgh-complexises. It sh	d. This test of some determined by the search of the searc	was de by the d or a lated A) as nis te	eveloped approved under est is	
PDF	( <del>1</del> .)				02
Iron and TIBC Iron Bind.Cap.(TIBC) UIBC Iron Iron Saturation	333 233 100 30	Š	ug/dL ug/dL ug/dL %	250-450 111-343 38-169 15-55	01 01
Witness P10 and Palata					
Vitamin B12 and Folate Vitamin B12	736	3	~~ /~T	232-1245	0.1
			pg/mL		01
Folate (Folic Acid), Serum Note: A serum folate concent: considered to represent		ess than 3.1 n	ng/mL	>3.0 is	01 01
Vitamin E					
Vitamin E(Alpha Tocopherol)	A 17.5		mg/L	9.0-29.0	01
Vitamin E(Gamma Tocopherol)			mg/L	0.5-4.9	01



Patient: DOB:

Patient ID: Control ID:

Specimen ID: Date collected:

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Reference intervals for National Health and Nut Individuals with alpha- considered vitamin E de	rition Exam tocopherol	ination Su	cvey, 200	05-2006.	
Vitamin C * Vitamin C deficiency i concentrations less th 0.2 and 0.4 mg/dL are	an 0.2 mg/d	defined a L and leve		or serum	01
Vitamin B6, Plasma					
Vitamin B6 A	31.9		ug/L	2.0-32.8	01
Vitamin A, Serum					
Vitamin A  Reference intervals for studies. Individuals we witamin A deficient an 10 ug/dL are considered This test was developed determined by LabCorp. by the Food and Drug A	ith vitamin d those wit d severely d and its p It has not	determine A less the h serum con deficient. erformance been clea	an 20 ug ncentrat charact	abCorp internal /dL are considered ions less than eristics	01
Vitamin D, 25-Hydroxy	35.5		ng/ml	30.0-100.0	01
Vitamin D deficiency h Medicine and an Endocr level of serum 25-OH v The Endocrine Society insufficiency as a lev 1. IOM (Institute of M intakes for calcium National Academies 2. Holick MF, Binkley Evaluation, treatme deficiency: an Endo guideline. JCEM. 20	ine Society itamin D le went on to el between edicine). 2 and D. Was Press. NC, Bischof nt, and precrine Socie	practice of ss than 20 further despite 21 and 29 for a 100 for a 1	guideling ng/mL () fine vita ng/mL (2) ry refere : The HA, et al vitamin l practic	e as a 1,2). amin D ). ence	
Vitamin B1 (Thiamine), Bloom	đ				
Vit. B1, Whole Blood A	108.3		nmol/	L 66.5-200.0	01
Vitamin K1 A	0.20		ng/mL	0.13-1.88	03
Magnesium	2.0		mg/dI	1.6-2.3	01
Zinc, Plasma or Serum A	92		ug/dI Detec	56-134 ction Limit = 5	01

## Comments:

Ferritin, Serum

307

01

30-400

ng/mL

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

Specimen ID: Date collected:			
VAL LAE			
R			