

Patient ID:
Specimen ID:

DOB:
Age:
Sex:

Patient Report



Ordering Physician:

Ordered Items: **Vitamin D, 25-Hydroxy; Venipuncture**

Date Collected:	Date Received:	Date Reported:	Fasting: Yes
-----------------	----------------	----------------	---------------------

Vitamin D, 25-Hydroxy

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Vitamin D, 25-Hydroxy ⁰¹	45.9		ng/mL	30.0-100.0
<p>Vitamin D deficiency has been defined by the Institute of Medicine and an Endocrine Society practice guideline as a level of serum 25-OH vitamin D less than 20 ng/mL (1,2). The Endocrine Society went on to further define vitamin D insufficiency as a level between 21 and 29 ng/mL (2).</p> <ol style="list-style-type: none">IOM (Institute of Medicine). 2010. Dietary reference intakes for calcium and D. Washington DC: The National Academies Press.Holick MF, Binkley NC, Bischoff-Ferrari HA, et al. Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline. JCEM. 2011 Jul; 96(7):1911-30.				

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the result to the patient.

Icon Legend

▲ Out of reference range ■ Critical or Alert

Performing Labs

01: TA - LabCorp Tampa 5610 W LaSalle Street, Tampa, FL, 33607-1770 Dir: Sean Farrier, MD
For Inquiries, the physician can contact Branch: 800-762-4344 Lab: 800-877-5227

Patient Details

Phone:
Date of Birth:
Age:
Sex:
Patient ID:
Alternate Patient ID:

Physician Details

Request A Test, LTD.
7027 Mill Road Suite 201, BRECKSVILLE, OH,
44141
Phone:
Physician ID:
NPI:

Specimen Details

Specimen ID:
Control ID:
Alternate Control Number:
Date Collected:
Date Received:
Date Entered:
Date Reported:
Rte: