



Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Phone: Patient ID: Health ID:	Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	

COMMENTS: **FASTING:**

Test Name	In Range	Out Of Range	Reference Range	Lab
VITAMIN B12/FOLATE, SERUM PANEL				QAW
VITAMIN B12	475		200-1100 pg/mL	
FOLATE, SERUM	13.8		ng/mL Reference Range Low: <3.4 Borderline: 3.4-5.4 Normal: >5.4	
VITAMIN E (TOCOPHEROL) ALPHA-TOCOPHEROL	10		mg/L Reference Range 5.7-19.9 mg/L Levels of alpha-tocopherol <5 mg/L are consistent with Vitamin E deficiency in adults.	SLI
			Vitamin supplementation within 24 hours prior to blood draw may affect the accuracy of results.	
			This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.	
BETA-GAMMA-TOCOPHEROL	2.1		<4.4 mg/L	
			This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.	
VITAMIN C VITAMIN C	1.0		0.2-2.1 mg/dL	SLI
			This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.	
VITAMIN K	693		130-1500 pg/mL	SLI
			Due to potential interferences, Vitamin K1 levels cannot be determined in individuals taking Vitamin K2 supplements.	
			This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.	
VITAMIN B6, PLASMA	14.6		2.1-21.7 ng/mL	SLI
			Vitamin supplementation within 24 hours prior to blood	



Patient Information	Specimen Information	Client Information
SCHAFFINO, ROBERTO DOB: AGE: Gender: Fasting: Patient ID: Health ID:	Specimen: Collected: Received: Reported:	

Test Name	In Range	Out Of Range	Reference Range	Lab
------------------	-----------------	---------------------	------------------------	------------

draw may affect the accuracy of results.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

VITAMIN B1 (THIAMINE), BLOOD, LC/MS/MS	145		78-185 nmol/L	SLI
---	------------	--	----------------------	------------

Vitamin supplementation within 24 hours prior to blood draw may affect the accuracy of results.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

VITAMIN A (RETINOL)	59		38-98 mcg/dL	SLI
----------------------------	-----------	--	---------------------	------------

**Clin Chem Vol. 34.No.8. pp1625-1628. 1998
 Vitamin supplementation within 24 hours prior to blood draw may affect the accuracy of results.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Patient Information		Specimen Information	Client Information
DOB: AGE: Gender: Phone: Patient ID:		Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	

Endocrinology

Test Name	Result	Reference Range	Lab
VITAMIN D,25-OH,TOTAL,IA	40	30-100 ng/mL	NW
Vitamin D Status 25-OH Vitamin D: Deficiency: <20 ng/mL Insufficiency: 20 - 29 ng/mL Optimal: > or = 30 ng/mL For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs). For more information on this test, go to: http://education.questdiagnostics.com/faq/FAQ163 (This link is being provided for informational/educational purposes only.)			

Physician Comments: